

sitzen / fitzen / effe fietsen / ch ck ft tz fi fi

liga	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + ccmp	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi

red kept by dynamic feature

green kept by static feature

blue keep by goodie

liga	sitzen / fitzen / effe fietsen / ch ck ft tz si fi
liga + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + ccmp	sitzen / fitzen / effe fietsen / ch ck ft tz si fi
liga + ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi

liga	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + ccmp	sighen / sihen / effe fietsen / ch ck ft h si fi
liga + ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi
ccmp + keepligatures	sighen / sihen / effe fietsen / ch ck ft h si fi

```

\setupbodyfont[dejavu,10pt] \setuplayout[height=middle,topspace=1cm,header=1cm,footer=0pt]

\starttext

\startbuffer[sample]
sitzen / fitzen / effe fietsen / ch ck ft tz fi fi
\stopbuffer

\typebuffer[sample]

\definefontfeature
  [unifraktur-a]
  [default]
\definefontfeature
  [unifraktur-b]
  [default]
  [goodies=unifraktur,keepligatures=yes]
\definefontfeature
  [unifraktur-c]
  [default]
  [ccmp=yes]
\definefontfeature
  [unifraktur-d]
  [default]
  [ccmp=yes,goodies=unifraktur,keepligatures=yes]
\definefontfeature
  [unifraktur-e]
  [default]
  [liga=no,rlig=no,clig=no,dlig=no,ccmp=yes,keepligatures=auto]

\definefont[TestA][UnifrakturCook*unifraktur-a sa 0.85]
\definefont[TestB][UnifrakturCook*unifraktur-b sa 0.85]
\definefont[TestC][UnifrakturCook*unifraktur-c sa 0.85]
\definefont[TestD][UnifrakturCook*unifraktur-d sa 0.85]
\definefont[TestE][UnifrakturCook*unifraktur-e sa 0.85]

\starttabulate[|T|]
\NC liga \NC \TestA\getbuffer[sample] \NC \NR
\NC liga + keepligatures \NC \TestB\getbuffer[sample] \NC \NR
\NC liga + ccmp \NC \TestC\getbuffer[sample] \NC \NR
\NC liga + ccmp + keepligatures \NC \TestD\getbuffer[sample] \NC \NR
\NC ccmp + keepligatures \NC \TestE\getbuffer[sample] \NC \NR
\stoptabulate

\setupcharacterkerning[kerncharacters][factor=0.5]
\setupcharacterkerning[letterspacing] [factor=0.5]

\enabletrackers[typesetters.kerns.ligatures]

\starttabulate[|T|]
\NC \color[darkred] {red} \NC kept by dynamic feature \NC \NR
\NC \color[darkgreen]{green} \NC kept by static feature \NC \NR
\NC \color[darkblue] {blue} \NC keep by goodie \NC \NR
\stoptabulate

\starttabulate[|T|]
\NC liga \NC \kerncharacters {\TestA\getbuffer[sample]} \NC \NR
\NC liga + keepligatures \NC \kerncharacters {\TestB\getbuffer[sample]} \NC \NR
\NC liga + ccmp \NC \kerncharacters {\TestC\getbuffer[sample]} \NC \NR
\NC liga + ccmp + keepligatures \NC \kerncharacters {\TestD\getbuffer[sample]} \NC \NR
\NC ccmp + keepligatures \NC \kerncharacters {\TestE\getbuffer[sample]} \NC \NR
\stoptabulate

\starttabulate[|T|]
\NC liga \NC \letterspacing {\TestA\getbuffer[sample]} \NC \NR
\NC liga + keepligatures \NC \letterspacing {\TestB\getbuffer[sample]} \NC \NR
\NC liga + ccmp \NC \letterspacing {\TestC\getbuffer[sample]} \NC \NR
\NC liga + ccmp + keepligatures \NC \letterspacing {\TestD\getbuffer[sample]} \NC \NR
\NC ccmp + keepligatures \NC \letterspacing {\TestE\getbuffer[sample]} \NC \NR
\stoptabulate

\page \switchtobodyfont[7pt] \typefile{\jobname}

\stoptext

```